

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	139	extract with session near3 (ID or identification) and (@ad<="20031212" or @rlad<="20031212")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 15:02
L2	0	extract with session near3 (ID or identification) same PADO and (@ad<="20031212" or @rlad<="20031212")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 15:03
L3	4	extract with session near3 (ID or identification) and PADO and (@ad<="20031212" or @rlad<="20031212")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 15:03
L4	7	extract with session near3 (ID or identification) same (determin \$4 with session with packet) and (@ad<="20031212" or @rlad<="20031212")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 15:11
L5	5	!4 not !3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 15:11
L6	21	extract with session near3 (ID or identification) and(determin \$4 with session with packet) and (@ad<="20031212" or @rlad<="20031212")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 15:18
L7	21	extract with session near3 (ID or identification) and (determin \$4 with session with packet) and (@ad<="20031212" or @rlad<="20031212")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 15:18
L8	9	("20010030977" "20020141418" "20020152311" "20030198219" "5987524" "6185184" "6654382" "6757712" "6801507").PN. OR ("7373407").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/20 15:22

L9	0	extract with session near3 (ID or identification) same server with (send\$4 or transmit\$4) near4 packet and (@ad<="20031212" or @rlad<="20031212")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 15:27
L10	30	extract with session near3 (ID or identification) and server with (send\$4 or transmit\$4) near4 packet and (@ad<="20031212" or @rlad<="20031212")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 15:27
L11	30	!0 not !8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 15:27
L12	17	extract with session near3 (ID or identification) and server with (send\$4 or transmit\$4) near4 packet and Ethernet and (@ad<="20031212" or @rlad<="20031212")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 15:27
L13	2	("20030182434").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 15:38
S1	11	((("4447160") or ("4889423") or ("5627614") or ("20020021261") or ("20030016750"))).FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 10:54
S2	6607	(709/221,228,229).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 10:46
S3	0	(re\$connect\$4) with server same (PPPoE or "point to point over ethernet") same (PADI or discovery) same (terminate or PADT or "discovery terminate") same (PADO or "discovery offer" or offer) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 10:57
S4	1	(re\$connect\$4) with server and (PPPoE or "point to point over ethernet") same (PADI or discovery) same (terminate or PADT or "discovery terminate") same (PADO or "discovery offer" or offer) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 10:58

S5	1	(re\$connect\$4) with server same (PPPoE or "point to point over ethernet") and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 10:58
S6	1	(re\$connect\$4) same server same (PPPoE or "point to point over ethernet") and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 10:59
S7	63	(PPPoE or "point to point over ethernet") same discovery and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 10:59
S8	1	(re\$connect\$4 or re\$establish \$4) same server same (PPPoE or "point to point over ethernet") and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:18
S9	31	(re\$connect\$4 or re\$establish \$4) and (PPPoE or "point to point over ethernet") and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:26
S10	6	(PPPoE or "point to point over ethernet") same extract\$4 with (ID or identification) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:42
S11	0	(re\$connect\$4 or re\$establish \$4) same (discovery same offer same extract\$4) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:27
S12	0	(re\$connect\$4 or re\$establish \$4) and (discovery same offer same extract\$4) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:27
S13	872	(re\$connect\$4 or re\$establish \$4) and (discovery and offer and extract\$4) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:27

S14	3	(re\$connect\$4 or re\$establish \$4).ab.ti. and (discovery and offer and extract\$4) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:27
S15	0	(PPPoE or "point to point over ethernet") same (re\$discover \$4) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:43
S16	5	(PPPoE or "point to point over ethernet") same (check\$4) same connection and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:48
S17	13	(PPPoE or "point to point over ethernet") with terminat\$4 with connection and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:49
S18	0	(re\$connect\$4 or re\$establish \$4) same ("power off") and @ad<="2003121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 16:13
S19	123	(re\$connect\$4 or re\$establish \$4) same ("power off") and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 16:14
S20	0	(re\$connect\$4 or re\$establish \$4) same ("power off") same PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 16:14
S21	0	(re\$connect\$4 or re\$establish \$4) same ("power off") and PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 16:14
S22	10	(re\$connect\$4 or re\$establish \$4) same (disconnect\$4) and PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 16:28

S23	1	(re\$connect\$4 or re\$establish\$4) same (power) and PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 16:18
S24	2	(re\$connect\$4 or re\$establish\$4) same (power or down) and PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 16:18
S25	4	PPPoE same discovery same terminate same offer and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 16:42
S26	546	connection with lost same (re \$connect\$4 or re\$establish\$4) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 16:42
S27	1	connection with lost same (re \$connect\$4 or re\$establish\$4) and PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 16:58
S28	2	("6975597").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 16:53
S29	2	connection same lost same (re \$connect\$4 or re\$establish\$4) and PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:21
S30	2	connection same (lost or time \$out) same (re\$connect\$4 or re \$establish\$4) and PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:00
S31	10	connection same (lost or time \$out) and (re\$connect\$4 or re \$establish\$4) and PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:21

S32	7	(re\$connect\$4 or re\$establish \$4) same PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:21
S33	23	connection same lost and PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:23
S34	6155	PPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:23
S35	447	PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:23
S36	170	PPPoE.ab,ti. and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:23
S37	113	PPPoE and discovery and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:23
S38	18	(PPPoE and discovery).ab,ti. and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:27
S39	198	extract\$4 with session with ID and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:28
S40	775	extract\$4 with session with ID PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:28

S41	5	extract\$4 with session with ID same PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:31
S42	5	extract\$4 same session with ID same PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:32
S43	7	extract\$4 same session with ID and PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:34
S44	3	client same terminate same connection same PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:56
S45	1	check\$4 with (PADO or "PPPoE Active Discovery Offer") and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:57
S46	2	check\$4 same (PADO or "PPPoE Active Discovery Offer") and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 17:59
S47	7	(check\$4 or determine) same (PADO or "PPPoE Active Discovery Offer") and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:16
S48	1948	(check\$4) with code with packet and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:16
S49	3978	(check\$4 or determine) with (type\$4) with packet and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:17

S50	5136	{check\$4 or determin\$4} with (type\$4) with packet and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:17
S51	699	{check\$4 or determin\$4} adj2 (type\$4) adj3 packet and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:17
S52	25355016	{check\$4 or determin\$4} adj2 (type\$4) adj3 packet and pppoEand @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:17
S53	1	{check\$4 or determin\$4} adj2 (type\$4) adj3 packet and pppoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:18
S54	47	{{check\$4 or determin\$4} adj2 (type\$4) adj3 packet).ab,ti. and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:19
S55	161	{check\$4 or determin\$4} adj2 (type\$4) adj3 packet same field and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:20
S56	110	{check\$4 or determin\$4} adj2 (type\$4) adj3 packet with field and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:20
S57	25	{check\$4 or determin\$4} adj2 (type\$4) adj3 packet with code and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:22
S58	33	{check\$4 or determin\$4} adj2 (type\$4) adj3 packet same MAC and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:23

S59	14	(check\$4 or determin\$4) adj2 (type\$4) adj2 packet same MAC and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:24
S60	18	(check\$4 or determin\$4) adj2 (type\$4) adj2 packet same payload and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:42
S61	2	extract\$4 with MAC same PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:44
S62	1810	extract\$4 with MAC and PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:44
S63	9	extract\$4 with MAC and PPPoE and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 18:44

6/ 20/ 2008 3:43:21 PM

C:\Documents and Settings\btiv\My Documents\EAST\Workspaces\10772393_reconnect_PPPoE.wsp